USER MANUAL AND INSTRUCTIONS

JACS

Junior Adaptive Carrier System

IMPORTANT! KEEP FOR FUTURE REFERENCE

Contents

Contents 1

Safety Instructions 2

Before You Start – Features and Components 3

Before You Start – Features and Components 4

Front Carry Positions 5

Using The JACS – Front Carry 5

Using The JACS – Front Carry 6

Using The JACS – Front Carry 7

Back Carry Position 8

Using The JACS – Back Carry 8

Using The JACS – Back Carry 9

Using The JACS Back Carry 10

Attaching Accessories 11

The JACS Baby Carrier Liner 12

Care and Maintenance 12

The JACS Limited Lifetime Warranty 13

General Information 14

Copyright Babyjacs UK Ltd. Version 2015-1a

Safety Instructions

⚠ WARNING! FALL HAZARD!

- Carefully read and follow all instructions before assembly and use.
- Only use this baby carrier for children weighing between 3.5kg and 15kg (maximum).
- Adjust carrier lower, side, and top straps to create a secure and snug fit.
- Ensure that the child's nose and mouth are free and have sufficient breathing space when in the carrier.
- Small children can fall through a leg opening. Leg straps must be secured when using this carrier to carry children between 3 months (approx.) and 12 (approx.) months old.
- Check that all buckles and other connections are securely fastened before use.
- Regularly check the carrier for damage and wear before use. Do not use a damaged carrier.
- Children must be carried inward facing until they are able to hold their head upright unassisted (approx. 5 months).
- The baby carrier must not be used as a back mounted carrier for children under 9 months old.
- The baby carrier is not suitable for use during sporting activities.
- Your balance may be adversely affected by your movement and that of the child.
- Take care when bending or leaning forward.
- Do not lie down or sleep with your child in the carrier.
- Do not use the carrier as a car seat.
- This baby carrier is intended for use by adults only.

Washing Instructions:

Wash items separately using eco-friendly, bleach free detergent.
Remove karabiners from carrier unit prior to washing.

Cotton Liner (removable):

Cordura/Mesh :

BABYJACS UK LTD. Junior Adaptive Carrier System (JACS)

Model - JACS-001

PATENT PENDING

Safety Approval:

The JACS conforms to the safety requirements of **EN 13209-2:2005**

Copyright Babyjacs UK Ltd. Version 2015-1a

Before You Start – Features and Components

We hope you enjoy using the JACS Junior Adaptive Carrier System, and that the high quality design and construction of the range meets all of your parenting and other equipment carrying needs.

Before using The JACS, please ensure that you carefully read all of the instructions contained within this manual, in order to fully familiarise yourself with the various components and their functionality and capabilities.

Harness (Front):

1. Harness
2. Front Buckle
3. Chest Strap and Buckle
4. Lower Carrier Connection
5. MOLLE Straps
6. Upper Carrier Connection
7. Side Straps
8. D-Rings

Harness (Back):

1. Harness
2. Mesh back Panel
3. Lower Carrier Connection
4. Lower Backpack Connections
5. MOLLE Straps
6. Shoulder Strap Loops
7. D-Rings

Copyright Babyjacs UK Ltd. Version 2015-1a

Before You Start – Features and Components

Baby Carrier (Outer):

1. Carrier
2. Mesh Head Support Panel
3. Velcro Tabs
4. Upper Carrier (Head Support) Connection Straps
5. Cargo Pouch
6. MOLLE Straps
7. Side Connections Straps
8. Karabiner Connectors
9. Lower Carrier Connection Straps
10. Leg Straps with snap-fasteners
11. Leg Strap Webbing Loops

Backpack:

1. Backpack
2. Shoulder Straps
3. Lower Connection Straps
4. Main Pocket
5. Outer Pocket
6. MOLLE Straps
7. Expander Zip
8. Adaptor Straps

Copyright Babyjacs UK Ltd. Version 2015-1a

Front Carry Positions

The JACS can be used in the Front-Carry positions from approximately 3 months, and upwards.

Front Inward Facing Appropriate for babies aged from 3 months onwards. Head Support in “Up” position.	**Front Outward Facing** Appropriate for babies aged from approximately 6 months onwards. Head Support in “Down” position.

Using The JACS – Front Carry

1 - Adjusting the Harness Connect the Harness by fastening the belt and chest strap by fastening the quick release buckles. The harness can be adjusted at the side strap and chest strap points, and should be adjusted to create a snug fit. **Note** – It is not essential to fasten the chest strap when using the Baby Carrier in the front carry position. If the chest strap is against the baby’s head, it can be un-fastened and tucked behind the harness when the chest strap is not in use.	**2 - Attaching the Baby-Carrier** The baby carrier should be attached to the harness by connecting the lower straps quick release buckles, side straps karabiner/MOLLE connections, and upper straps quick release buckles, in that order. **Note** – The upper and lower strap connectors should be attached to the corresponding harness quick release buckle connectors. The side strap karabiners should be connected to the corresponding MOLLE loop required to achieve the desired carry height.

Copyright Babyjacs UK Ltd. Version 2015-1a

Using The JACS – Front Carry

3 - Adjusting the Baby-Carrier
Adjust the Baby-Carrier for the approximate height and width of the baby by adjusting the lower and side strap lengths through the ladder lock connections. Gently pull or release the strap through the ladder lock to achieve the required length.

4 - Preparing to Carry
Prior to placing the child in the Baby-Carrier, release the 2 x upper connection straps, and one of the side connections straps of the Baby-Carrier, to enable the child to be easily placed in the carrier.
The Baby-Carrier should be attached to the harness using the lower connection straps, and one side strap, to create a secured and accessible pouch.



5 - Placing the Child in the Baby-Carrier (Inward)
Gently place the child in the Baby-Carrier, ensuring that they are fully supported, whilst connecting the Side-Strap Karabiner, and upper connection straps.

Note - Ensure that the Head Support is in the upward position, and adjust the upper connection strap lengths to provide a secure and supportive fit – preventing the child's head from rolling backwards, forwards, or sideways.

6 - Placing the Child in the Baby-Carrier (Outward)
Ensure that the Head Support is folded down and retained in this position by the Velcro tabs.
Gently place the child in the Baby-Carrier, ensuring that they are fully supported, whilst connecting the Side-Strap Karabiner, and upper connection straps.

Copyright Babyjacs UK Ltd. Version 2015-1a

Using The JACS – Front Carry

7 - Adjusting the Baby-Carrier
The Baby-Carrier can be adjusted to create a comfortable fit for the child, by adjusting the lower, side, and upper strap lengths as necessary.
The carry height can be adjusted by connecting the side strap Karabiners to higher or lower MOLLE strap loops on the harness.

8 - Securing the Leg-Straps
The Leg-Straps should be secured by passing the strap end through the corresponding webbing strap loop, and secured at the required length using the snap-fastener.

There are three adjustment settings available – either shortening or lengthening the strap by connecting the press stud fasteners to the corresponding studs on the strap.

9 - Removing the Child from the Baby-Carrier
The child can be removed from the carrier by releasing the upper connection straps.
While supporting the child in the carrier, disconnect one of the side strap Karabiner connections, and gently lift the child from the Baby-Carrier.



10 - Removing the Baby-Carrier
The Baby-Carrier can now be removed from the Harness by disconnecting the remaining side strap Karabiner, and lower strap connections.

Copyright Babyjacs UK Ltd. Version 2015-1a

Back Carry Position

The JACS can be used in the Back-Carry position from approximately 9-12 months, and upwards.

Back Carry – Low Position Appropriate for babies aged from approximately 9 months onwards.	**Back Carry – High Position** Appropriate for babies aged from approximately 12 months onwards.

Using The JACS – Back Carry

1 - Attaching the Baby-Carrier The baby carrier should be attached to the harness by connecting the lower straps, and side straps. The upper straps should not be connected directly to the harness for back-carrying.	**2 - Adjusting the Baby-Carrier** Adjust the Baby-Carrier for the approximate height and width of the baby by adjusting the lower and side strap lengths through the ladder lock connections. Gently pull or release the strap through the ladder lock to achieve the required length. The carry height can also be adjusted by connecting the side strap Karabiners to higher or lower MOLLE strap loops on the harness.

Copyright Babyjacs UK Ltd. Version 2015-1a

Using The JACS – Back Carry

3 - Attaching the Shoulder Straps
The Back-Carry Shoulder Straps should be attached to the Baby-Carrier by connecting the straps to the upper strap connections on the Carrier.

4 - Preparing to Carry
Prior to placing the child in the Baby-Carrier, release the 2 x upper connection straps, and one of the side connections straps of the Baby-Carrier, to enable the child to be easily placed in the carrier. The Baby-Carrier should be attached to the harness using the lower connection straps, and one side strap, to create a secured and accessible pouch.

5 - Placing the Child in the Baby-Carrier
Gently place the child in the Baby-Carrier, in a seated position, ensuring that they are fully supported. Connect the remaining Side-Strap Karabiner. The Back-Carry Shoulder Straps should be re-connected to the carrier upper connection points, adjusting the length as required via strap front connection.

6 - Adjusting the Baby-Carrier
The Baby-Carrier can be adjusted to create a comfortable fit for the child, by adjusting the lower, side, and upper strap lengths as necessary.

Ensure that the leg straps are secured and adjusted as necessary (see Image 8 Front Carry).

Note: The harness and carrier should be placed on a bed, floor, or other stable surface when positioning the child in the carrier, and when adjusting the carrier as necessary. Always ensure that the child is secured and is not able to roll off the surface.

Copyright Babyjacs UK Ltd. Version 2015-1a

Using The JACS Back Carry

7 - Wearing the Harness and Carrier (Step 1)
Ensure that the chest strap is disconnected, and the side straps are loosened, prior to wearing the harness and carrier.
With the child secured in the carrier and harness, and the harness front facing toward you, lift the harness on to either shoulder by gripping and lifting the left or right shoulder straps with your left or corresponding hand (your arm should cross your body when positioned correctly).

8 - Wearing the Harness and Carrier (Step 2)
Supporting the child and baby-carrier component with your free hand, gently lift and slide the harness on to the left or right shoulder.
The remaining harness shoulder strap can then be gently placed on the torso as if putting on a jacket or waistcoat – taking care that the harness and carrier remain in a vertical position.
Note – It may help to lean forward slightly during this step, in order to minimise and risk of the harness and carrier slipping.

9 - Adjusting the Harness
Connect the harness using the waist buckle connection and chest strap connection.
The harness can now be adjusted at the side strap and chest strap points, and should be adjusted to create a snug fit.

Note 1: To remove the baby/child from the carrier unit during solo back-carrying, carry out the above instructions in reverse.

Note 2: The baby/child can be placed in or removed from the carrier unit by a second adult by following the steps shown for Front Carrying. Ensuring that the child is safely supported during the insertion and/or removal process.

Note – A doll has been used in Images 5-8 for instruction purposes only.

Copyright Babyjacs UK Ltd. Version 2015-1a

Attaching Accessories

The JACS Baby-Carrier features a unique mounting platform. This allows a variety of accessories to be attached to the carrier harness, giving the user the option to build a flexible and adaptable carrying system. Accessories are available to purchase via www.jacs-babycarrier.com .

Backpack Attachment The Backpack is designed to attach to the harness using 4 “male” side release connections, and can be attached and removed with the Harness and Baby-Carrier in situ.	**Backpack Adaptor Straps** To use the Backpack off-system, simply connect the 2 Adaptor Straps to the Backpack shoulder strap and lower connections, and adjust as required.

Chest-Pouch The Chest-Pouch has 4 “male” side release buckle connections, and is designed to attach to the harness using the multi-purpose connection platform.	**Chest-Pouch Attachment** The Chest-Pouch attaches to the upper and lower Baby-Carrier connections on the harness front. Attach the upper connections first, and remove in reverse order.

Copyright Babyjacs UK Ltd. Version 2015-1a

The JACS Baby Carrier Liner

The JACS Baby-Carrier features a removable cotton liner. This allows the carrier to continue being used, when liners become soiled. Replacement/Spare liners are available to purchase via www.jacs-babycarrier.com .

Liner Removal	**Liner Replacement**
Remove the Liner by simply pulling the liner away from the Baby-Carrier inner, gripping the liner in one hand and the Baby-Carrier in the other.	The liner can be replaced by laying the Baby-Carrier flat, with the inner surface facing upward. Align the Carrier and Liner Velcro, and press down along the edges.

Care and Maintenance

Before using The JACS, always ensure that you check for any damage or defects. The Baby-Carrier unit should not be used in the event that any damage or defect is found.

When not in use, ensure that The JACS is stored indoors, in a dry environment, and is not stored in direct sunlight or at high temperatures.

Continuous use of The JACS in strong sunlight can cause fabrics to fade.

The JACS can be spot cleaned using a mild detergent.

For machine washing, ensure that all Karabiner connections are removed, and place The JACS components in a pillowcase, or similar bag. This will ensure that the various connections do not become damaged during washing, and that these do not in turn damage your washing machine.

The JACS can be washed at a low temperature, using a mild laundry detergent.

Allow The JACS to air dry fully prior to use.

Copyright Babyjacs UK Ltd. Version 2015-1a

The JACS Limited Lifetime Warranty

The JACS range of products is constructed from military grade materials, and has been designed to withstand the challenges of the parenting battlefield. As such, you can expect them to be extremely durable and hardwearing. With that in mind, we offer a lifetime warranty on all of our products, excluding baby-carrier liners/inserts.

This warranty is non-transferable and only applies to the original purchaser. In order to activate the warranty, a Product Registration Form must be completed online at www.jacs-babycarrier.com. All refunds and exchanges are issued at the discretion of Babyjacs UK Ltd.

This warranty does **not** cover:

- Damages caused by normal wear and tear
- Damage or defects resulting from repair or alteration of the product
- Damage or defects resulting from improper use, including any use or care not in accordance with the product instructions
- Damages resulting from third party handling (such as airline or airport baggage handling staff)
- Damage or defects resulting from improper storage (such as outdoors, in extreme high temperature locations, or in damp environments)
- Cosmetic damages that do not affect the functionality of the product (such as scratches or stained fabrics).
- Any damage to, loss of the contents of a bag, loss of use, loss of time, or similar expenses are not covered
- Products that are re-sold, given away, or in any other case where you are not the first and original owner
- Products without receipt or proof of purchase
- Products that are not purchased through an approved Babyjacs UK Ltd. retailer (online or in-store)

If you are sure if you qualify, please contact info@jacsbabycarrier.co.uk for further information.

Warranty Repair Policy Details

If your item qualifies under our warranty, it is your responsibility to return the damaged or defective item to us. Once we have received this, your claim will be evaluated within 14 days. If the claim meets our guidelines, we will repair or exchange your product at our discretion.

When sending your items to us for a warranty claim we recommend using a trackable service.

Copyright Babyjacs UK Ltd. Version 2015-1a

General Information

The JACS is a soft-structured baby carrier travel system comprising of a central harness, baby carrier, backpack, chest pouch assembly, and associated accessories. The carrier system enables the user to transport a baby and all necessary accessories within a single wearable piece of travel equipment, without the need for additional baggage.

The carrier system is designed to allow the user to quickly and easily adapt the set-up of the system in line with their specific day to day needs, using the harness as the base for attaching the desired accessories.

The JACS is Modular, Adaptable, Durable, and Expandable. Ready for any challenge encountered on the parenting battlefield.

Materials:

Manufactured from robust military grade materials, such as 1000D Cordura fabric, high tension rot-proof thread, and 3D spacer mesh breathable padding. The design also features side release buckle connections, MOLLE (**Modular Lightweight Load-Carrying Equipment)** style webbing loops for attaching accessories, and karabiner-type attachments. The carrier system is designed to withstand the elements, with an increased weight carrying and storage capability, while remaining lightweight, simple, and familiar to wear and use.

Specification:

The JACS is manufactured by our partner, an established specialist in the production and supply of high-specification tactical equipment to various international military and law enforcement bodies. All products undergo rigorous testing and quality control inspections.

Patent and TM info:

The JACS is Patent Pending.

JACS Junior Adaptive Carrier System and the JACS Logo are Registered Trademarks, and the property of Babyjacs UK Ltd.

Customer Service:

For any customer service enquiries, please contact info@jacsbabycarrier.co.uk.

Tips and Suggestions:

We welcome and encourage users of The JACS to provide feedback, comments, and suggestions, as part of a process of continuous improvement and future product development.

Please contact us direct at info@jacsbabycarrier.co.uk to share any ideas or feedback with us. It is our aim, where possible, to directly involve users in the development of the JACS range, in order to ensure that the product meets the needs of our customers.

Copyright Babyjacs UK Ltd. Version 2015-1a

Copyright Babyjacs UK Ltd. Version 2015-1a